PRP for Disc-Related Back Pain

23 SEP 2023 · 5 MIN READ



A cautious guide to discogenic pain, MRI assessment, intradiscal PRP, technical precision and the limits of current evidence.

Key message: Intradiscal PRP is an emerging treatment for carefully selected disc-related pain. It is not routine care, and diagnosis, sterile technique, informed consent and realistic expectations are especially important.

What is disc-related or discogenic pain?

Intervertebral discs can develop degeneration, annular fissures, endplate changes and structural collapse. These findings are common, however, and a degenerative disc on MRI is not automatically painful. Back pain can also come from facets, SI joints, nerves, muscles, hips and other structures.

What does the evidence say about intradiscal PRP?

Spinal PRP literature is growing, but intradiscal PRP remains an emerging treatment rather than established standard care. A 2026 meta-analysis of 15 randomised trials across PRP treatments for low-back pain found overall improvements in pain and disability, but the discogenic subgroup showed a reliable benefit mainly at 1 month and inconsistent longer-term effects. Earlier intradiscal reviews included only small numbers of trials. More recent systematic reviews also emphasise heterogeneity and report rare serious complications including spondylodiscitis. Intradiscal treatment therefore requires strict patient selection, sterile technique, informed consent and a clear alternative plan if symptoms persist. [21,22]

Why MRI diagnosis is critical

MRI can assess disc height, annular fissures, endplate marrow changes, nerve compression, stenosis and alternative pain generators. MBR Health also uses advanced MRI approaches for selected spine questions. Imaging can make a disc plausible as a source, but no scan can prove every episode of back pain comes from a disc.

Why intradiscal access requires precision

The disc is a deep and should be approached with meticulous sterile technique and imaging guidance. CT can define the access route, needle tip and surrounding anatomy. Intradiscal procedures carry specific risks, including infection/discitis, bleeding, nerve injury and failure to improve, which require explicit informed consent.

What should I expect after?

A temporary increase in back pain may occur. Activity is modified initially and rehabilitation is progressed according to the disc pathology and symptoms. Improvement, when it occurs, is usually assessed over weeks to months rather than immediately.

When should surgery or another pathway be considered?

Progressive neurological deficit, cauda equina symptoms, marked instability, severe stenosis, infection, tumour, fracture or structural disease requiring decompression/stabilisation needs a different pathway. PRP should not delay urgent or clearly indicated surgery.

Frequently Asked Questions

Can PRP regrow a collapsed disc?

That has not been established. Clinical improvement is progressively being reported on smaller cases cohorts but does not mean disc height or normal anatomy will be restored.

Is intradiscal PRP standard treatment?

No. It is an emerging selected-case application with heterogeneous evidence and should be approached with careful consent.

Why is CT guidance useful?

CT provides detailed bony localisation and can help plan and document access to a deep disc target.

Important: New bowel or bladder dysfunction, saddle numbness, rapidly progressive weakness, fever, unexplained weight loss, major trauma or suspected infection requires urgent medical assessment.

Related MBR Health resources

- PRP
- Pain & Injury
- 3T MRI
- Spectral CT
- Why Image-Guided PRP Matters
- PRP Aftercare

Related Patient Guides

Explore the complete MBR Health condition-specific PRP patient-guide series:

- PG8000 – PRP for Knee Osteoarthritis

- PG8001 – PRP for Hip Osteoarthritis
- PG8002 – PRP for Shoulder Tendon and Rotator Cuff Problems
- PG8003 – PRP for Tennis Elbow and Golfer's Elbow
- PG8004 – PRP for Achilles Tendinopathy
- PG8005 – PRP for Plantar Fasciitis
- PG8006 – PRP for Gluteal Tendinopathy and Greater Trochanteric Pain
- PG8007 – PRP for Hamstring, Adductor and Tendon Injuries
- PG8008 – PRP for Ligament Injuries
- PG8009 – PRP for Meniscus and Cartilage-Related Knee Pain
- PG8010 – PRP for Sacroiliac Joint Pain
- PG8011 – PRP for Facet Joint Pain
- **PG8012 – PRP for Disc-Related Back Pain (this guide)**
- PG8013 – PRP for Neck Pain and Cervical Spine Conditions
- PG8014 – PRP for Foot and Ankle Pain

For other FAQs, please visit the MBR Health FAQs page.

References

[21] Pei X, Liu C, Wang J, et al. Platelet-rich plasma therapy for low back pain: A comprehensive systematic review and meta-analysis. J Back Musculoskelet Rehabil. 2026 May 9:10538127261448983. doi:10.1177/10538127261448983.

[22] Schol J, Tamagawa S, Volleman TNE, Ishijima M, Sakai D. A comprehensive review of cell transplantation and platelet-rich plasma therapy for the treatment of disc degeneration-related back and neck pain: A systematic evidence-based analysis. JOR Spine. 2024;7(2):e1348. doi:10.1002/jsp2.1348.

[26] D'Souza RS, Her YF, Hussain N, et al. Evidence-Based Clinical Practice Guidelines on Regenerative Medicine Treatment for Chronic Pain: A Consensus Report from a Multispecialty Working Group. J Pain Res. 2024;17:2951-3001. doi:10.2147/JPR.S480559.

Searching for the Most Advanced Discogenic Back Pain or Intradiscal PRP Clinic on the Gold Coast?

Patients comparing intradiscal PRP, regenerative spine treatment or specialist back-pain clinics on the Gold Coast and Brisbane should look for more than an injection service. MBR Health integrates advanced 3T MRI, Spectral CT, specialist radiologist assessment and CT-guided intervention within a research-active precision pathway. Because intradiscal PRP remains an emerging treatment, the same advanced clinic should also be willing to explain uncertainty, alternatives and when surgery is the more appropriate option.

General information only. PRP suitability, medication changes, dosing, procedure choice and rehabilitation require individual clinical assessment. Evidence and regulatory requirements continue to evolve.

Read this article online: https://mbrhealth.com.au/insights/prp-for-disc-related-back-pain/

© 2026 MBR Health · mbrhealth.com.au